

**Notice of Allowability**

Application No.

10/750,610

Examiner

Nitin Patel

Applicant(s)

GHOSH ET AL.

Art Unit

2629

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 1/29/2007.
2. ☒ The allowed claim(s) is/are 1-27.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some\* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

  
NITIN I. PATEL  
PRIMARY EXAMINER

### REASON FOR ALLOWANCE

1. Claims 1-27 is allowed.
2. The following is an examiner's statement of reason for allowance:

The prior art fails to teach or suggest an apparatus having a housing; a handle coupled to the housing, the handle extending beyond a top edge of the housing to provide a top edge clearance and extending away from a back side of the housing to provide a back side clearance, wherein the handle is to remain in a fixed position; a keyboard tray coupled to the housing, the keyboard tray including a stand and a keyboard, wherein the keyboard tray is unfolded from the housing to support the housing in an upright position as claimed in claim 1.

The prior art fails to teach or suggest an apparatus having a **keyboard tray including a wireless keyboard, the keyboard tray coupled to a stand, the keyboard tray slide-able into or out of the stand, wherein the stand is coupled to a housing at proximally a bottom edge of the housing and foldable relative to the housing and wherein the housing includes a display screen and a fixed carrying handle** as claimed in claim 20.

The prior art fails to teach or suggest a system having a processor; a display coupled to the processor; a first communication interface coupled to the processor, wherein the display, the processor and the first communication interface are included in a housing and **a wireless telephone handset coupled to the first communication interface to be used for voice over internet protocol (VOIP) calls, wherein the wireless telephone handset is adapted to fit in a slot in a keyboard tray coupled to**

Art Unit: 2629

**a stand, wherein the stand is to support the housing in a substantially upright position, and wherein the housing is transportable using a fixed handle coupled to the housing** as claimed in claim 23.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### ***Conclusion***

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nitin Patel whose telephone number is 571-272-7677. The examiner can normally be reached on 8:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin H. Shalwala can be reached on 571-272-7681. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2629

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Nitin Patel  
Primary Examiner  
Art Unit 2629



NITIN I. PATEL  
PRIMARY EXAMINER